

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>5</sup> :</b> <b>A61K 7/48</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 94/25001</b> <b>(43) International Publication Date:</b> 10 November 1994 (10.11.94)
<b>(21) International Application Number:</b> PCT/US94/00443 <b>(22) International Filing Date:</b> 26 January 1994 (26.01.94) <b>(30) Priority Data:</b> 08/055,740 30 April 1993 (30.04.93) US <b>(60) Parent Application or Grant</b> <b>(63) Related by Continuation</b> US 08/055,740 (CIP) Filed on 30 April 1993 (30.04.93) <b>(71) Applicant (for all designated States except US):</b> SPRINTVEST CORPORATION N.V. [NL/NL]; International Trade Center, P.O. Box 6085, Piscadera Bay, Curaçao (AN). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> HERSH, Leslie, J. [US/US]; 211 Winthrop Lane, Saginaw, MI 48603 (US). WALLACE, Richard, C. [US/US]; 1113 S. Jefferson, Bay City, MI 48708 (US). BOWLEY, Elizabeth, A. [GB/GB]; 300b Nottingham Road, Ripley, Derbyshire DE5 3JX (GB).	<b>(74) Agents:</b> SCHUMACHER, Lynn, C. et al.; Borges, Hill & Schumacher, Suite 600, 372 Bay Street, Toronto, Ontario M5H 2W9 (CA). <b>(81) Designated States:</b> AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). <b>Published</b> <i>With international search report.</i>	
<b>(54) Title:</b> SKIN CLEANSING FORMULATIONS WITH TERPENE SOLVENTS AND CORN MEAL SCRUBBER <b>(57) Abstract</b> <p>There is disclosed various terpene based cleansing formulations for skin. The cleaning formulations include the ingredients of water in which there is dispersed a terpene, nonionic surfactants, corn meal scrubber and preservatives including antimicrobial and antioxidant agents. In one aspect of the invention the skin cleansing formulations includes orange terpenes as the solvent. The nonionic surfactants present in the formulation provide stabilization of the terpene/water mixture, do not soften or otherwise attack the corn meal, and provide detergency for suspending the lifted soil.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LJ	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

-1-

**SKIN CLEANSING FORMULATIONS WITH TERPENE  
SOLVENTS AND CORN MEAL SCRUBBER**

5

**FIELD OF THE INVENTION**

The present invention relates to terpene based skin cleansing formulations containing ground corn meal (maize) as a scrubber.

10

**BACKGROUND OF THE INVENTION**

Citrus terpenes including orange terpenes and d-limonene are safe, effective and naturally occurring organic solvents currently used as a fragrance additive in various soap products and perfumes, and as well as a flavour additive in foodstuffs and beverages. Because for example d-limonene is an effective organic solvent it is also utilized in household and industrial cleaning products and is a viable alternative to potentially dangerous chlorinated hydrocarbon solvents.

20

Skin cleansing solutions based on solvents having abrasive particles dispersed therethrough are well known. Several types of mineral abrasives included in these skin cleaning formulations include diatomaceous earth, pumice, aluminum oxide and silica to mention just a few. A drawback to the use of mineral based abrasives relates to the hardness and very sharp edges of the particles which can result in micro-cuts to a user's skin upon use thereby causing undue irritation and possibly infection.

25

Plastic scrubber particles are used in some cleaning formulations but many types of plastic are subject to attack and softening in terpene solvents thereby rendering the scrubber ineffective. Further, plastic scrubbers are not biodegradable and hence pose an environmental problem.

30

35

It is therefore desirable to provide a terpene based skin cleansing formulation including an abrasive which provides a gentle scrubbing action and which is not attacked by the terpene or surfactant system.

-2-

**SUMMARY OF THE INVENTION**

The present invention provides cleansing formulations for the skin using a terpene as the organic solvent. In one aspect of the invention there is provided  
5 a cleansing formulation for application to the skin comprising in combination, water, a physiologically acceptable terpene present in the range from about 0.9% to about 40% by weight, a nonionic surfactant present in the range from about 4% to 20% by weight, corn meal scrubber  
10 present in the range from about 3% to about 20%, and a preservative present in range from about 0.05% to about 2.35% by weight.

In another aspect of the invention there is provided a cleansing formulation for application to the  
15 skin, comprising water, a terpene present in the amount from about 0.9% to 40% by weight; corn meal scrubber present in the range from about 3% to about 20% by weight; nonionic surfactants present in the range from about 4% to about 20% by weight; a preservative comprising an  
20 antimicrobial agent and an antioxidant present in the range from about 0.10% to about 1.3% by weight; and a thickening agent present in the range from about 0.30% to about 2.35% by weight.

**DETAILED DESCRIPTION OF THE INVENTION****Ingredients**

A general description of the ingredients of the skin cleansing formulations will first be given followed by  
30 a more detailed description of the component ranges and non-limiting example formulations.

**Organic Solvent**

D-limonene is a naturally occurring biodegradable  
35 solvent found in the oil of citrus peels of limes, lemons and oranges to mention just a few sources. D-limonene provides good solvent power and has a Kauri-Butanol (K-B)

-3-

value of about 62.7 which is indicative of its high solvent strength. Odourless mineral spirits by comparison has a K-B value of about 26. Since d-limonene is a safe and effective organic solvent it is currently utilized in household and industrial cleaning products.

D-limonene is a member of the chemical class known as dipentenes. Dipentenes other than d-limonene which also exhibit exceptional solvent power are derived from pine trees. The dipentenes in turn are part of a more general class of chemicals called citrus terpenes which as a group is characterized by strong solvent power. Some cuts of orange oil are sold as "orange terpenes" and function in an identical manner to the d-limonene organic solvent used in many of the representative examples disclosed below. Citrus terpenes are also part of the terpene family which are used in the present invention. Therefore, those skilled in the art will readily understand that terpenes other than d-limonene may be used as the organic solvent in the skin cleansing formulations of the present invention as long as they are physiologically acceptable.

#### Surfactants

D-limonene dissolves hydrocarbon based soils. However, while 100% d-limonene or a d-limonene/water mixture will slowly dissolve many hydrocarbon based soils, the soil will simply move around on the skin and not readily rinse off. Therefore, a viable skin cleansing formulation based on d-limonene or other terpenes preferably includes a detergent.

The skin cleansing formulations include detergents to disperse and suspend the lifted soil so that it can be effectively rinsed off the skin. The general class of non-ionic surfactants including alkyl phenol ethoxylates (e.g. ethoxylated nonyl phenols), ethoxylated alcohols (e.g. Neodols, Shell Oil Co.) amine oxides, amides (e.g. Cocamide DEA or alkanolamide based surfactants

-4-

derived from palm kernal oil such as Palm Kernalamide DEA) or various combinations thereof are suitable detergents which may be used in the formulations of the present invention. A preferred detergent used in the present  
5 formulations is nonoxynol-10, an ethoxylated nonyl phenol (one trade-name is Union Carbide Tergitol NP-10).

In order to hold together and stabilize emulsions of the organic terpenes with the water, a coupling agent or solubilizer may be required. While solubilizers and  
10 coupling agents perform essentially the same function, the term coupling agent usually describes materials which produce a true solution. A preferred solubilizer used in many of the formulations is PEG-75 Lanolin. Other coupling  
15 agents or solubilizers which may be used in the present invention include hexylene glycol and Polyoxypropylene (24) Polyoxyethylene (24) Glyceryl Ether (PPG-24-Glycereth-24) sold by Dow Chemical Co. under the trade-name Polyglycol  
15-200. This latter ingredient is used in cosmetic formulations as a solvent and solubilizer in lotions and  
20 creams. PPG-24-Glycereth-24 functions to stabilize the emulsification of the d-limonene and additionally provides the benefit of a water soluble solvent for organic hydrocarbon liquids. Further, PPG-24-Glycereth-24 may act  
25 as a lubricant to facilitate flow of certain formulations through dispensing systems.

Other ethers of glycerin which may be used as solubilizers include PPG-66-Glycereth-12 and PPG-20-Glycereth-30.

The solubilizer or coupling agent facilitates  
30 solubilization of the terpene in the primary surfactant. As such these are secondary surfactants which may not be necessary in all cleansing formulations falling within the ambit of the present invention.

### 35 Abrasive

The skin cleansing formulations of the present invention include ground corn meal to provide gentle

-5-

scrubbing action. Corn in North America is referred to as maize in Europe and other countries. Corn meal as used herein is intended to cover a range of products derived from ground maize such as the endosperm, husk, cob and mixtures thereof. The corn meal aids in breaking up the mass of soil with itself as well as the bond between the soil and the skin much more rapidly than a composition comprising d-limonene without a scrubber. Corn meal is an advantageous scrubber in terpene based cleansing formulations because it is not characterized by sharp rigid edges and therefore will not produce micro-cuts on a user's skin during use as can occur with mineral abrasives. In addition, corn meal is biodegradable unlike most plastics and mineral scrubbers and therefore will not adversely impact on the environment.

The preferred particle size of the corn meal is chosen to provide a balance between obtaining a good cleaning or scrubbing action while at the same time avoiding problems of obstructing flow passageways in the dispensing mechanism being used to dispense the skin cleaning formulation. Particle sizes ranging from about 50 to 1000 microns and preferably 150 to about 250 microns have been found to satisfy these requirements.

#### Thickeners/Suspenders

In order to thicken the cleansing composition and to suspend the particulate, ground corn meal therein, a thickener/suspender may be utilized in some of the present formulations. Carbomer 940 is one member of a family of carbomers. Carbopol<sup>®</sup> 940 is the BF Goodrich trade-name for carbomer 940 which is a cross-linked polymer of acrylic acid. This polymeric material may also act to enhance the suspension of the soil prior to rinse-off. This ingredient is also currently marketed in the United States by RITA Corporation under the trade-name Acritamer 940 (The manufacturer of the RITA material is Seitetsu Kagaku Co., Ltd. in Osaka, Japan). Carbomer 940 is an acid powder

-6-

which is neutralized in the course of manufacture of the present formulations to provide a neutral thickening and suspension agent. Organics such as triethanolamine (TEA) and inorganic alkalis such as sodium hydroxide may be included in the present formulation to provide this neutralization. Carbomers 647 and 934 are two other non-limiting examples of carbomers which may be used as thickening agents in the formulations of the present invention.

While most carbomers are supplied as powders, some are sold dispersed in such vehicles as mineral spirits. Such a dispersed product may be used in the formulations disclosed herein. Some carbomers do not require neutralization.

Those skilled in the art will readily appreciate that powdered carbomers are difficult to effectively disperse in aqueous media prior to neutralization due to clumping whereby surface solvation prevents proper wetting of the interior of the clumps. If this clumping occurs, the product can become unacceptably lumpy.

There are three general methods which have been used for neutralizing the carbomers used in the formulations disclosed herein. One such method used in producing the formulations disclosed herein uses an eductor to disperse the powder rapidly in the water. Another method involves preparing a slurry of the carbomer suspended in the oily components of the mixture. A third method involves pre-blending the powdered carbomer with other powders to be included in the formulations, such as the corn meal abrasive component.

Details of these methods are described in the BF Goodrich information circular entitled "**Carbopol® Water Soluble Resins**" which is incorporated herein by reference.

Those skilled in the art will readily appreciate that other thickeners/suspenders may be used in the present invention and these may include other polymers and copolymers derived from acrylic acid. One alternative is



-7-

the Rohm & Haas product Acrysol ICS-1 with the acrylate/steareth-20 methacrylate copolymer. This product is a water solution of the copolymer indicated. Polymers derived from cellulose gum may also be used thickening/suspending agents.

It will be understood by those skilled in the art that stable water/terpene formulations may be made without providing a specific thickening agent if the surfactant is chosen in such a way that the emulsified system is inherently thick enough to provide adequate suspension for the corn meal.

### Preservatives

In order to prevent degradation and to extend the shelf life of the cleansing formulations, preservatives are included in the formulations to prevent deterioration due to potential microbial contamination or decomposition through oxidation with air. Examples of antimicrobial preservatives which may be used in the formulations include methylparaben, propylparaben, diazolidinyl urea (Trade-name Germall II, Sutton Chemical), and polymethoxy bicyclic oxazolidine (Trade-name Nuosept C, Huls America). For example, a commercial preservative blend which may be used in the present invention is sold under the tradename Germaben II by Sutton Chemical and is a solution of diazolidinyl urea, methylparaben and propylparaben in propylene glycol.

Alternative antimicrobial preservatives which may be used include other derivatives of para-hydroxybenzoic acid such as a blend of Isopropylparaben and isobutylparaben and butylparaben; 2-bromo-2-nitropropane-1, 3-diol; methyldibromo glutaronitrile and phenoxyethanol. Other antimicrobial preservatives include formaldehyde, imadazolidinyl urea, quaternium-15, phenoxyethanol, chloroxylenol, DMDM Hydantoin, and a blend of methylchloroisothiazolinone and methylisothiazolinone.

Examples of anti-oxidant preservatives which may

-8-

be used in the formulations of the present invention include butylated hydroxytoluene (BHT), butylated hydroxyanisole (BHA), sodium sulfite and tocopherol. Tocopheral is vitamin E which is an antioxidant and a natural source of tocopheral is wheat germ oil.

An antioxidant is sometimes added to the terpene by the raw material supplier to stabilize this ingredient with respect to oxidation prior to addition to the formulation.

The efficacy of the soft natural corn meal as a scrubber is enhanced in a low suds formula with high solvent power. Because of the gentle scrubbing action of the corn meal, the scrubbing action is more readily perceived in a low suds formula. Therefore, defoaming agents may form part of the present formulations in order to prevent excessive foaming. However, the heavy loading of organics in the formulations act in part as a defoaming agent.

Corn meal is an accepted scrubber in dry (anhydrous) hand cleansers but is problematic in typical skin cleansing formulations containing anionic or cationic surfactants due to reaction between these surfactants and the corn meal resulting is softening of the latter. The present invention has solved this problem by determining that corn meal is not attacked or softened in terpene based formulations when nonionic surfactants are used as the primary surfactant. Anionic and cationic surfactants are generally the primary surfactant in skin cleansing formulations to give foaming and detergency. The formulations disclosed herein are unique because they use nonionic surfactants as the primary surfactant system in which the corn meal is stable. The loss of foaming is advantageous because it enhances the scrubbing effect of the corn meal. However, the loss of detergency due to the lack of anionic or cationic surfactants is compensated for by the use of the terpene which enhances the detergency of the nonionic surfactants.

-9-

The efficacy of the present cleansing formulations toward hydrocarbon based soils was determined using test materials such as roofing asphalt, fifth wheel grease, various inks and the like.

5 Those skilled in the art will readily understand that many of the components of the formulation may serve more than one functional purpose. For example, the multi-functional ingredient PPG-24-Glycereth-24 aids emulsification of the d-limonene, provides solvency for  
10 inks and other soils, and acts as a defoaming agent to enhance the efficacy of the corn meal scrubber.

Various dyes may be included for ascetic purposes in the different cleansing formulations disclosed herein. For example, FD & C Yellow No. 5 is a yellow dye and FD &  
15 C Blue No. 1 is a blue dye with both dyes certified to comply with specifications published in the U.S. Code of Federal Regulations for Food, Drug and Cosmetic Colors.

#### Ranges For Cleansing Solution Formulations

20 Ranges in which the minimal number of required functional constituents comprising the skin cleaning formulations forming the present invention may vary are as follows.

25	Ingredient	Min	Max
		Weight %	Weight %
	Water	35	90
	Terpene	0.9	40
	Corn Meal	3	20
30	Surfactant	4	20
	Preservatives	0.05	1.3

Ranges in which specific ingredients may be varied for a non-limiting formulations are given herebelow:

35

-10-

EXAMPLE #1

	Ingredient	Preferred	Min	Max
		Value	Weight %	Weight %
	Water	71.0	64.0	78.0
5	Carbomer 934	0.4	0.3	0.6
	Citrus Terpenes	1.0	0.9	1.1
	Corn Meal	6.0	4.0	8.0
	Propylene Glycol	4.0	3.0	5.0
	PEG-75 Lanolin	2.0	1.5	3.0
10	Cocamide DEA	1.0	0.5	1.5
	Nonoxynol-10	7.5	6.0	9.0
	Nonoxynol-6	4.0	2.0	6.0
	Germaben II (TM*)	0.50	0.25	0.75
	Sodium Hydroxide 20%	0.54	0.40	0.80

15

To prepare formulations within these ranges the general procedure is to disperse the carbomer with cold water through an eductor into a clean vessel containing the remaining water heated to about 38 degrees Celsius. Add the propylene glycol, PEG-75 lanolin (melted), corn meal, Germaben II, cocamide DEA and mix thoroughly. Add the citrus terpenes, nonoxynol-10 and nonoxynol-6. When the formulation is uniform then neutralize with sodium hydroxide solution.

25

Sodium hydroxide is used to neutralize the acidic carbomer and the pH of the product containing the neutralized carbomer is in the range from about 5 to 8, but may be as high as 8.5 for some formulations. The acid forms of the carbomer generally do not swell until neutralized.

30

As a general rule, in preparing the various skin cleansing formulations of the present invention from within the above noted ranges, the preferred formulations are those in which the terpene level is chosen to give the desired solvency and then the surfactant composition and concentration is chosen to obtain adequate emulsification of the terpene in addition to providing suitable

35

-11-

detergency. Stability of emulsions may be tested using known techniques such as freeze/thaw, accelerated aging by heat or any other method appropriate to the expected use of the formulation.

5 As many suitable preservatives are also surface active agents, it is advisable to confirm that the choice of preservative does not adversely affect the stability of the emulsion.

10 The skin cleansing formulations of the present invention will be further illustrated using the following non-limiting examples giving specific formulations.

**EXAMPLE #1: LOTION SKIN CLEANSER**

	INGREDIENT	% WT	PURPOSE
15	Water	70.8	
	d-Limonene	10.0	
	Corn Meal	8.0	Scrubber
	Dodecyl Thioethoxylate	7.5	Nonionic surfactant
	PPG-24-Glycereth-24	2.0	Solubilizer
20	PEG-75 Lanolin	0.4	Solubilizer, emollient
	Carbomer 940	0.3	Polymeric thickener
	Triethanolamine	0.5	Organic neutralizer
	Preservatives	0.5	

25 This lotion skin cleanser formulation was prepared by mixing into a clean vessel with adequate propeller type mixing the d-limonene, dodecyl thioethoxylate, PPG-24-glycereth-24, PEG-75 Lanolin, and oil soluble preservatives. In a separate clean vessel, the  
30 corn meal and Carbomer 940 were dry blended. With the mixer running, the dry blend of corn meal and Carbomer 940 was added to the d-limonene mixture. Water heated to 35-40 degrees Celsius and water soluble preservatives were added with mixing until uniform. Triethanolamine was then added  
35 to the mixture with paddle mixing until the formulation was uniform.

-12-

**EXAMPLE #2: LOTION SKIN CLEANSER**

	<b>INGREDIENT</b>	<b>% WT</b>	<b>PURPOSE</b>
	Water	72.8	
	d-Limonene	1.0	
5	Corn Meal	6.0	Scrubber
	Carbomer 934	0.35	Polymeric thickener
	Propylene Glycol	5.0	Solvent
	PEG-75 Lanolin	1.5	Solubilizer, emollient
	Cocamide DEA	1.0	Nonionic Surfactant
10	Nonoxynol-6	7.2	Nonionic surfactant
	Nonoxynol-9	4.8	Nonionic surfactant
	Sodium Hydroxide	0.15	Alkaline neutralizer
	Preservatives	0.2	

15                This lotion skin cleanser formulation was prepared using cold water to disperse the Carbomer 934 through an eductor. When dispersed, the dispersion was heated to 35-40 degrees Celsius and the propylene glycol, PEG-75 Lanolin and the corn meal were added with mixing.

20                When the corn meal was dispersed the cocamide DEA and d-limonene were added. The preservatives, the nonoxynol-6 and nonoxynol-9 were then added with stirring. The sodium hydroxide was then added as a 20% solution in water and the resulting formulation mixed until uniform.

25

**EXAMPLE #3: VISCOUS LOTION SKIN CLEANSER**

	<b>INGREDIENT</b>	<b>% WT</b>	<b>PURPOSE</b>
	Water	70.6	
	d-Limonene	10.0	
30	Corn Meal	8.0	Scrubber
	Pareth-15-9	7.5	Nonionic surfactant
	Hexylene Glycol	2.0	Solubilizer
	PEG-75 Lanolin	0.2	Solubilizer, emollient
	Carbomer 940	0.4	Polymeric thickener
35	Triethanolamine	0.7	Organic neutralizer
	Preservatives	0.5	

This viscous lotion was prepared by mixing into

-13-

a clean vessel with adequate propeller type mixing the d-limonene, Pareth-15-9, hexylene glycol, PEG-75 Lanolin, and oil soluble preservatives. The Carbomer 940 and the corn meal were dry blended in a separate vessel. The dry  
5 blended Carbomer and corn meal were then added to the d-limonene solution with the mixing. The water was heated to 35-40 degrees Celsius and added along with the water soluble preservatives and paddle mixed until the mixture was uniform. The triethanolamine was then added and the  
10 resulting formulation mixed until uniform.

**EXAMPLE #4**

	<b>INGREDIENTS</b>	<b>WT %</b>	<b>PURPOSE</b>
	Water	70.66	
	d-Limonene	5.0	
15	Corn Meal	8.0	Scrubber
	Nonoxynol-10	11.25	Nonionic surfactant
	Hexylene Glycol	2.0	Solubilizer
	PEG-75 Lanolin	0.2	Solubilizer, emollient
	Carbomer 647	2.34	Polymeric thickener
20	Preservatives	0.55	

This skin cleansing formulation was prepared by mixing into a clean vessel, with adequate propeller type mixing, the nonoxynol-10, d-limonene, hexylene glycol, corn meal and oil soluble preservatives. Water was heated to  
25 35-40 degrees Celsius to which the PEG-75 Lanolin and water soluble preservatives were added with mixing. The water solution was then added to the d-limonene mixture with mixing until uniform. The Carbomer 647 was added with paddle mixing until the formulation was thick and uniform.

**EXAMPLE #5**

	<b>INGREDIENT</b>	<b>WT %</b>	<b>PURPOSE</b>
	Water	68.5	
	Citrus Terpenes	7.5	
	Corn Meal	8.0	Scrubber
35	Nonoxynol-6	11.25	Nonionic surfactant
	Hexylene Glycol	2.0	Solubilizer
	PEG-75 Lanolin	0.2	Solubilizer, emollient
	Carbomer 647	2.0	Polymeric thickener

-14-

Preservatives 0.55

This skin cleansing formulation was prepared by mixing into a clean vessel the nonoxynol-6, citrus terpenes, hexylene glycol, corn meal and any oil soluble preservatives. The mixture was mixed well. The water was heated to 35-40 degrees Celsius and the PEG-75 Lanolin and water soluble preservatives were added and the mixture was mixed until uniform. The water solution was added to the citrus terpene mixture and the resulting solution mixed until uniform. The Carbomer 647 was added and the resulting formulation paddle mixed until thick and uniform.

**EXAMPLE #6: LOTION SKIN CLEANSER**

	INGREDIENT	% WT	PURPOSE
	Water	64.03	
15	d-Limonene	10.0	
	Corn Meal	8.0	Scrubber
	Fatty Alcohol Ethoxylate-10	9.0	Nonionic surfactant
	Fatty Ethoxylate-6.5	4.0	Nonionic surfactant
	Cocamide DEA	3.0	Nonionic surfactant
20	Ethoxylated Lanolin	0.2	Solubilizer emollient
	Carbomer 940	0.50	Polymeric thickener
	Sodium Hydroxide	0.22	Alkaline neutralizer
	Wheatgerm Aqueous	0.10	Skin Conditioner
	Preservatives	0.05	

This skin cleansing formulation is prepared in the same manner as above example 2.

The flash point of d-limonene is about 48 degrees Celsius so that in order to reduce the risk of fire or explosion, the formulations of this ingredient should be prepared at temperatures below 48 degrees Celsius. In addition, the mixing vessels should be grounded to avoid static discharge.

While the skin cleansing formulations have been described and non-limiting examples given with respect to the various ingredients, it will be appreciated that numerous variations of these formulations may be made without departing from the scope of the invention as disclosed herein.



-15-

**THEREFORE WHAT IS CLAIMED IS:**

1. A cleansing formulation for application to the skin, comprising:  
in combination, water, a physiologically acceptable terpene present in the range from about 0.9% to about 40% by weight, a nonionic surfactant present in the range from about 4% to 20% by weight, corn meal scrubber present in the range from about 3% to about 20%, and a preservative present in range from about 0.05% to about 2.35% by weight.
2. A skin cleansing formulation according to claim 1 wherein said physiologically acceptable terpene is derived from citrus fruit.
3. A cleansing formulation according to claim 1 wherein said physiologically acceptable terpene derived from oranges.
4. A cleansing formulation according to claim 3 wherein said nonionic surfactant includes a detergent.
5. A cleansing formulation according to claim 4 including a solubilizer selected from the group consisting of ethers of glycerin, ethoxylated lanolin and hexylene glycol, wherein said solubilizer is present in the range from about 0.20 to 3% by weight.
6. A cleansing formulation according to claim 4 wherein said nonionic surfactants are selected from the group consisting of alkyl phenol ethoxylates, alcohol ethoxylates, amine oxides, amides, and combinations thereof.
7. A cleansing formulation according to claim 3 including a thickening agent selected from the group consisting of polymers derived from cellulose gum, and cross-linked polymers and copolymers derived from acrylic acids.

-16-

8. A cleansing formulation according to claim 3 wherein said preservative is selected from the group consisting of anti-microbial agents and anti-oxidants.

9. A cleansing formulation according to claim 2 wherein said preservatives are selected from the group consisting of anti-microbial agents and anti-oxidants.

10. A cleansing formulation according to claim 8 or 9 wherein said antimicrobial agents are selected from the group consisting of methylparaben, propylparaben, diazolidinyl urea, polymethoxy bicyclic oxazolidine, derivatives of para-hydroxybenzoic acid, formaldehyde, imadazolidinyl urea, phenoxyethanol, chloroxylenol, DMDM hydantoin, and blends of methylchloroisothiazolinone and methylisothiazolinone.

11. A cleansing formulation according to claim 8 or 9 wherein said antioxidant agents are selected from the group consisting of butylated hydroxytoluene, butylated hydroxyanisole, sodium sulfite and tocopherol.

12. A cleansing formulation for application to the skin, comprising;

- a) water;
- b) a terpene derived from oranges present in the range from about 0.9% to 40% by weight;
- c) corn meal scrubber present in the range from about 3% to about 20% by weight;
- d) nonionic surfactants present in the range from about 4% to about 20% by weight;
- e) a preservative comprising an antimicrobial agent and an antioxidant present in the range from about 0.05% to about 1.3% by weight; and
- f) a thickening agent present in the range from about 0.30% to about 2.35% by weight.

-17-

13. A cleansing formulation according to claim 12 wherein said nonionic surfactants comprise a detergent and including a solubilizer present in the range from about 0.20 to 3 % by weight.

14. A cleansing formulation according to claim 13 wherein said solubilizer is selected from the group consisting of ethers of glycerin, ethoxylated lanolin and hexylene glycol.

15. A cleansing formulation according to claim 14 wherein said ethers of glycerin are selected from the group consisting of PPG-24-Glycereth-24, PPG-66-Glycereth-12 and PPG-20-Glycereth-30.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 94/00443

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 5 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 5 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	FR,A,426 329 (THORNE F.D.) 4 July 1911 see the whole document ---	1-15
A	CA,A,2 063 848 (FABER R.) 25 April 1993 see page 14; example 1 see claims 1,2,16 ---	1-15
A	EP,A,0 336 651 (THE CLOROX COMPANY) 11 October 1989 see page 12; example 4 ---	1-15
A	WO,A,92 09265 (CHEMISCHE FABRIK STOCKHAUSEN GMBH) 11 June 1992 see page 13; example 8 ---	1-15
-/--		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

4 August 1994

Date of mailing of the international search report

15. 08. 94.

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Boulois, D

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 94/00443

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US,A,4 704 225 (STOUFER W.B.) 3 November 1987 see column 3, line 13 - line 24 see column 4; example 2 see claims 15-17 ---	1-15
A	DATABASE WPI Week 9044, Derwent Publications Ltd., London, GB; AN 90-333029 & KR,A,8 904 682 (RAMI COSMETIC CO) 25 November 1989 see abstract ---	1-15
A	DATABASE WPI Section Ch, Week 7916, Derwent Publications Ltd., London, GB; Class D08, AN 79-30682B & JP,A,54 032 617 (TSUMURA JUNTENDO ET AL) 18 August 1977 see abstract -----	1-15

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/US 94/00443

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A-426329		NONE	
CA-A-2063848	25-04-93	US-A- 5281354	25-01-94
EP-A-0336651	11-10-89	AU-A- 3126989	05-10-89
		JP-A- 1304192	07-12-89
		US-A- 5298181	29-03-94
WO-A-9209265	11-06-92	DE-A- 4038076	04-06-92
		AU-B- 648849	05-05-94
		AU-A- 8942091	25-06-92
		CA-A- 2097195	30-05-92
		EP-A- 0559696	15-09-93
		ES-T- 2044800	16-01-94
		JP-T- 6504763	02-06-94
US-A-4704225	03-11-87	US-E- RE33210	08-05-90